



**Chemical Name:** Blue-glo

**Manufacturer:** Spartan

**Container size:** 1 qt.

**Location:** VLA

**Disposal:** Place empty container in trash.



# Spartan Chemical Company, Inc.

## Material Safety Data Sheet

### SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):  
**BLUE GLO**  
 Product Number: 3111; 3199

Product Division:  
**Janitorial**

**Spartan Chemical Company, Inc.**  
 1110 Spartan Drive  
 Maumee OH 43537

Product/Technical Information: **1-(800)-537-8990**  
 Medical Emergency: **1-(888)-314-6171 (24 hours)**  
 Chemical Leak/Spill Emergency: **CHEMTREC 1-(800) 424-9300 (24 hours)**

Shipping Description: Cleaning compounds, liquid, n.o.s.

NFPA Ratings:	HMIS Ratings:
<b>Health:</b> 1- Slight <b>Fire:</b> 0 - Minimal <b>Reactivity:</b> 0 - Minimal	<b>Health:</b> 1- Slight <b>Fire:</b> 0 - Minimal <b>Reactivity:</b> 0 - Minimal <b>Pers. Prot. Equip.:</b> See Section VIII

### SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

Chemical Name(s)	%Wt	CAS Registry No.	Table Z-1-A			NTP, IARC or OSHA Carcinogen
			TWA mg/m <sup>3</sup>	STEL mg/m <sup>3</sup>	CEILING mg/m <sup>3</sup>	
Sodium olefin sulfonate	10-15	68439-57-6	Not Established	Not Established	Not Established	No
Sodium dodecyl benzene sulfonate	10-15	25155-30-0	Not Established	Not Established	Not Established	No
Sodium lauryl ether sulfate	1-5	9004-82-4	Not Established	Not Established	Not Established	No

### SECTION III: PHYSICAL DATA

Boiling Point: 210-215 °F	Vapor Pressure: Unknown
Vapor Density (AIR = 1): Unknown	Solubility in Water: Complete
pH: 6.5-7.5	Specific Gravity (H <sub>2</sub> O=1): 1.04
Evaporation Rate (but.ace.=1): <1	Percent Solid by Weight: 26-30
Physical State: Liquid	
Appearance & Odor: Blue liquid, fresh fragrance	

### SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point: > 212°F	Method Used: ASTM-D56
Flammable Limits: Not Established	Flame Extension: N/A
Extinguishing Media: Product does not support combustion. Use extinguishing media appropriate for surrounding fire.	
Special Fire Fighting Procedures: Wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire-exposed containers with water spray.	
Unusual Fire & Explosive Hazards: Combustion products are toxic.	

**SECTION V: HEALTH HAZARD DATA**

Threshold Limit Value:	Not Established	Primary Routes of Entry:	Inhalation, Skin Contact, Eyes & Oral
Effects of Overexposure- Conditions to Avoid:	May cause mild eye irritation. Symptoms may include pain, redness and swelling. May cause mild skin irritation. Symptoms may include pain, redness and swelling. May be harmful if swallowed. Symptoms may include abdominal pain and diarrhea. Inhalation of product mist may cause respiratory irritation. <b>Avoid contact with eyes. Avoid prolonged or repeated skin contact with undiluted product. Do not swallow. Avoid breathing product mist.</b>		
Conditions Aggravated by Use:	Use of this product may aggravate preexisting skin; eye and respiratory disorders including asthma and dermatitis.		

**Emergency & First Aid Procedures :**

Eyes:	Flush eyes with water for at least 15 minutes. Remove contact lenses. Get medical attention.
Skin:	Wash thoroughly with water. Get medical attention if irritation persists. Wash contaminated clothing before reuse.
Ingestion:	Do not induce vomiting. Drink one or two glasses of water to dilute product. Get medical attention. Do not give anything by mouth to an unconscious person.
Inhalation:	Move person to fresh air. Get medical attention if irritation persists.

**SECTION VI: REACTIVITY DATA**

Stability:	Stable	Incompatible Materials:	Strong acids and oxidizing agents
Hazardous Decomposition Products:	Not established	Hazardous Polymerization:	Will Not Occur

**SECTION VII: SPILL OR LEAK PROCEDURES**

Steps to be Taken in Case Material is Released or Spilled:	Small spills of one gallon or less may be flushed with plenty of water to sanitary sewer system (If permitted by local sewer regulations). Dike and contain large spills with inert material and transfer liquid to containers for disposal. Keep spill out of storm sewers and waterways.
Waste Disposal Method:	Dispose of in compliance with all federal, state and local laws and regulations.

**SECTION VIII: SPECIAL PROTECTION INFORMATION**

Respiratory Protection:	Not normally required when good general ventilation is provided.
Ventilation:	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.
Protective Gloves(Specify Type):	Not required. Rubber or other impervious gloves may be worn if desired.
Eye Protection(Specify Type):	Not required. Splash goggles may be worn if desired.
Other Protective Equipment:	See 29 CFR 1910.132-138 for further guidance.

**SECTION IX: SPECIAL PRECAUTIONS**

Precautions; Handling & Storing:	Do not freeze. Do not store above 120°F. Do not mix with other chemicals.
Other Precautions:	Keep out of reach of children

© SCC 09/22/2008	Name: Ronald T. Cook	Title: Manager, Regulatory Affairs
<b>BLUE GLO</b>	Effective Date: 09/22/2008	Supercedes: 07/07/2005
Ref: 29 CFR 1910.1200 (OSHA)	Changes: Review	

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.