

Chemical Name: Heavy Duty Stripper

Manufacturer: Brady

Container size: 1 gallon

Location: VLA

Disposal: Place empty container in trash.

Material Safety Data Sheet Conforms to ANSI Z-400.1-1993

4005

Las Vegas, NV 89118 (800) 293-4698

1	Chemical	Product	and	Company	Identification
---	----------	----------------	-----	---------	----------------

Product:Heavy Duty Stripper	Cla	Classification: Floor Care			A30
2 Composition/Information on Hazard	lous Ingredients				
Material	CAS#	%	OSHA(PEL)	TLV(ppm)	Other
Ethanolamine	141-43-5	<10	3 ppm	3 ppm	
2- Butoxyethanol*	111-76-2	<5	25 ppm	25 ppm	OSHA -50

Hazards Identification

DANGER

Emergency Overview: Irritant. Causes skin irritation and eye damage. Avoid contact with skin and eyes.

Contact with Eyes: This product will cause burns that result in damage to the eyes and blindness if the solution remains

in contact with the eyes.

Contact with Skin: Contact with concentrate will result in dry skin. Prolonged or repeated contact may cause irritation.

Skin Absorption: N/A

Ingestion Symptoms: Swallowing will irritate throat, esophagus and digestive tract. Product may cause burns to the

mucous membranes of the mouth, throat, esophagus and stomach.

Inhalation Symptoms: Airborne concentrations of mist or vapor may cause damage to the upper respiratory tract. If the

product is heated, the vapors are acutely toxic if inhaled.

Chronic Effects: Respiratory tract tissue damage may result in increased susceptibility to respiratory illness.

Excessive exposure may cause liver or kidney effects.

It is important to determine whether exposure is to concentrated or dilute product. The information in this document is intended to deal with exposure to concentrated product. Generally, exposure to diluted product will result in substantially less risk of injury than described herein.

First Aid Measures

Eyes: If eyes are contacted, flush with water for 15 minutes. If irritation persists seek medical attention.

Skin: If skin is contacted, wash affected area with soap and water. If irritation persists, seek medical attention.

Inhalation: If discomfort is experienced after prolonged exposure to mists/vapors, remove to fresh air. If breathing is difficult,

give oxygen and seek medical attention.

Ingestion: If ingested, do NOT induce vomiting. Give moderate amounts of water to wash out mouth area and dilute

remaining residue. Seek medical attention.

5 Fire Fighting Measures

Flash Point(F° TCC): >200°F Flammable Limits: LEL No Data UEL No Data

Auto Ignition Temperature: No Data

Extinguishing Media: Water Spray, Foam, Carbon Dioxide, Dry Chemical

Special Fire Fighting Procedures:

Firefighters should wear a positive pressure NIOSH approved self-contained breathing apparatus.

Unusual Fire and Explosion Hazards:

Containers exposed to heat from fires should be cooled with water fog to prevent container rupture.

6 Accidental Release Measures

Large Spills (55 gallons or more):

Wear rubber boots, gloves and appropriate protective clothing. Shut off source of leak if safe to do so. Dike and contain spill.

Small Spills:

Mop up spill and rinse area.

7 Handling and Storage

Handling: Keep out of reach of children. Follow appropriate hygiene practices.

Storage: Store in a cool, dry place.

8 Exposure Controls/Personal Protection

Ventilation and Engineering Controls:

Local exhaust

Respiratory Protection:

If used according to directions respirator not required.

Protective Gloves:

Rubber Gloves

Eye Protection:

Chemical Splash Goggles

Other Protective Equipment:

Rubber boots or enclosed shoes with rubber soles must be worn.

9 Physical and Chemical Proper	rties	
Boiling Point(F°)>212°F	Solubility in WaterSoluble	Odor: Pleasant
Specific Gravity:1.04	Volatiles(% by Wt.)89	pH: 13 - 14
Appearance: Clear Amber	Vapor Density:>1	VOC: <150g/L
Evaporation Rate:<1	Vapor Pressure:<17 mm Hg	Freezing Point(F°) ≥40
	> means less than < means greater	than
	pical values based on material tested but ne construed as a guaranteed analysis of a	
10 Stability and Reactivity		
Stability: Stable Condition	ns to Avoid: Heat	
Materials to Avoid: Strong Oxidizers		
Hazardous Decomposition Products	s:	
Carbon monoxide, carbon dioxide		
Hazardous Polymerization:		
Will Not Occur		
11 Toxicological Information		
No Toxicology Information is available.		
12 Ecological Information		
No data available.		
13 Disposal Considerations		
Waste Disposal Method:		
Dispose of waste in accordance with	federal, state and local regulations	
14 Transport Information		
HAZMAT: Yes Hazard Co	de: 1138 ID Number: UN	N1760 Hazard Class: 8
Hazardous Division: Corrosive liqu		Packaging Group:
Hazardous Contents:Ethanolamine	•	rackaging Group.
15 Regulatory Information		
Proposition 65: Not Listed.		
* This product is subject to the	reporting requirements of SARA	Γitle III.
EPA: No		
16 Other Information		
HMIS/NFPA Hazard Rating: Healt	h 2 Flammability 1 Rea	activity 0
	II _ Z	
_		Table (M)
The information contained herein is base	ed on the data available to us. It is believe acy of this data or the results to be obtained dustries, HQ	• •
The information contained herein is base or implied, is made regarding the accura	acy of this data or the results to be obtained	· · · · · · · · · · · · · · · · · · ·
The information contained herein is base or implied, is made regarding the accura information consult distributor, Brady In	acy of this data or the results to be obtained	