

**Chemical Name:** Lemon scent oven cleaner

**Manufacturer:** Easy-Off

Container size: 16oz.

**Location:** VLA

<u>Disposal:</u> Place empty container in the trash.



#### MATERIAL SAFETY DATA SHEET

## 1. Product and Company Identification

Product Name Professional EASY-OFF® Fume Free Max Oven Cleaner Aerosol

**UPC CODES** Refer to Section 16

CAS # Mixture

Product use Oven cleaner

Distributed by Reckitt Benckiser

Morris Corporate Center IV 399 Interpace Parkway

P.O. Box 225

Parsippany, NJ 07054-0225

In Case of Emergency: 1-800-228-4722 Transportation Emergencies: 24 Hour Number:

North America: CHEMTREC: 1-800-424-9300 Outside North America: 1-703-527-3887

LEGEND
HMIS/NFPA

Severe 4
Serious 3
Moderate 2
Slight 1
Minimal 0





#### 2. Hazards Identification

Emergency overview CAUTION

EYE IRRITANT

Contents under pressure. DO NOT get in eyes.

Wash hands after application and removal. Do not puncture or incinerate container.

DO NOT expose to heat or store at temperatures above 120°F (49°C).

KEEP OUT OF REACH OF CHILDREN.

Potential short term health effects

Routes of exposure Eye, Skin contact, Inhalation.

Eyes Irritating to eyes.

Skin None expected during normal conditions of use.

Inhalation None expected during normal conditions of use.

However intentional misuse by deliberately concentrating and inhaling the contents may

be harmful or fatal.

IngestionHealth injuries are not known or expected under normal use.Target organsEyes. Respiratory system. Skin. Gastrointestinal tract.

Chronic effects The finished product is not expected to have chronic health effects.

Signs and symptoms irritation

# 3. Composition / Information on Ingredients

| Ingredient(s)                   | CAS#     | Percent  |
|---------------------------------|----------|----------|
| Carbonic acid, dipotassium salt | 584-08-7 | 2.5 - 10 |
| Ethanol, 2-(2-butoxyethoxy)-    | 112-34-5 | 2.5 - 10 |
| Ethanol, 2-amino-               | 141-43-5 | 2.5 - 10 |
| Isobutane                       | 75-28-5  | 2.5 - 10 |

#19868 Page 1 of 7 Issue date 11-May-2010

#### 4. First Aid Measures

First aid procedures

Eye contact If in eyes, IMMEDIATELY rinse eyes with water. Remove any contact lenses and

continue rinsing eyes for at least 15 minutes. If irritation persists, seek medical attention.

Wash off immediately with soap and plenty of water. Get medical attention if irritation Skin contact

develops or persists.

Inhalation Move to fresh air. If symptoms develop or persist, seek medical advice.

> NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse; for information

visit www.inhalant.org.

Ingestion Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an

unconscious person. If symptoms persist, call a physician or Poison Control Centre

immediately.

Notes to physician

Treat patient symptomatically. General advice

Do not puncture or incinerate container. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

### 5. Fire Fighting Measures

Flammable properties

Extinguishing media

Aerosol flame extension less than 18 inches (45 cm).

Suitable extinguishing media

Unsuitable extinguishing media Not available

Protection of firefighters

Specific hazards arising from

the chemical

Protective equipment for

firefighters

**Hazardous combustion products** 

**Explosion data** 

Sensitivity to mechanical

impact

Sensitivity to static discharge

Treat for surrounding material.

Contents under pressure. Pressurized container may explode when exposed to heat or

flame. Cool containers with flooding quantities of water until well after fire is out.

Firefighters should wear full protective clothing including self contained breathing apparatus.

May include and are not limited to: Oxides of carbon. Oxides of nitrogen.

Not available

Not available

#### 6. Accidental Release Measures

Personal precautions

Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.

Methods for containment

Methods for cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.

Before attempting clean up, refer to hazard data given above. Remove sources of ignition. Although the chance of a significant spill or leak is unlikely in aerosol containers, in the event of such an occurrence, absorb spilled material with a non-flammable absorbent such as sand or vermiculite.

# 7. Handling and Storage

Handling

CAUTION

Contents under pressure.

Do not puncture or incinerate container. Use according to package label instructions.

Use only in well-ventilated areas.

Avoid contact with eyes.

Keep away from open flames, hot surfaces and sources of ignition.

Wash hands after handling and before eating.

#19868 Page 2 of 7 Issue date 11-May-2010 Keep out of reach of children.

Do not store at temperatures above 49 °C (120.2°F). Avoid freezing to prevent bursting of the container.

NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse; for information visit www.inhalant.org.

# 8. Exposure Controls / Personal Protection

| Exposure limits                 |   |  |
|---------------------------------|---|--|
| Ingredient(s)                   | Exposure Limits   |  |
| Carbonic acid, dipotassium salt | ACGIH-TLV   |  |
|                                 | Not established   |  |
|                                 | OSHA-PEL  |  |
|                                 | Not established   |  |
| Ethanol, 2-(2-butoxyethoxy)-    | ACGIH-TLV   |  |
|                                 | Not established   |  |
|                                 | OSHA-PEL  |  |
|                                 | Not established   |  |
| Ethanol, 2-amino-               | ACGIH-TLV   |  |
|                                 | TWA: 3 ppm  |  |
|                                 | STEL: 6 ppm   |  |
|                                 | OSHA-PEL  |  |
|                                 | TWA: 3 ppm  |  |
| Isobutane                       | ACGIH-TLV   |  |
|                                 | TWA: 1000 ppm   |  |
|                                 | OSHA-PEL  |  |
|                                 | Not established   |  |
| Engineering controls            | General ventilation normally adequate.  |  |
| Personal protective equipment   |   |  |
| Eye / face protection           | Avoid contact with eyes. tightly fitting safety goggles   |  |
| Hand protection                 | No special requirements under normal use conditions.  Protective gloves are recommended for prolonged or repeated exposure.   |  |
| Skin and body protection        | Follow label directions carefully.  |  |
| Respiratory protection          | Not normally required under normal use conditions.<br>Emergency responders should wear self-contained breathing apparatus (SCBA) to avoid inhalation of vapours generated by this product during a spill or other clean-up operations.  |  |
| General hygiene considerations  | Avoid contact with skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Washing with soap and water after use is recommended as good hygienic practice to prevent possible eye irritation from hand contact. |  |

# 9. Physical and Chemical Properties

Appearance Foamy Spray
Color Light tan to White.
Form Aerosol.
Odor Lemon.
Odor threshold Not available

Physical state Gas pH 12.5

Freezing point Not available

Pour point Not available **Boiling point** Not applicable

> 199.94 °F (> 93.3 °C) (Concentrate) Flash point

Not available **Evaporation rate** Flammability limits in air, lower, %

by volume

Not available

Flammability limits in air, upper, %

by volume

Not available

Not determined Vapor pressure Not determined Vapor density

1.052 @ 25°C (Concentrate) Specific gravity

Octanol/water coefficient Not available Solubility (H2O) >95% @ 70°F Not available **Auto-ignition temperature** Not available Viscosity

## 10. Stability and Reactivity

Chemical stability Stable under recommended storage conditions.

Conditions to avoid Do not spray on pilot light, electrical connections, switch, heating elements, or

thermostats.

Do not spray onto aluminum or painted surfaces as damage to these surfaces may

Do not use on grill exterior, interior or components.

Aerosol containers are unstable at temperatures above 49°C (120.2°F). Do not mix with

other chemicals. Do not freeze.

Incompatible materials

managed analysis I OFO

Hazardous decomposition products May include and are not limited to: Oxides of carbon. Oxides of nitrogen.

Hazardous polymerization does not occur. Possibility of hazardous reactions

## 11. Toxicological Information

| Component analysis - LC50       |  |  |
|---------------------------------|--|--|
| Ingredient(s)                   | LC50   |  |
| Carbonic acid, dipotassium salt | Not available  |  |
| Ethanol, 2-(2-butoxyethoxy)-    | Not available  |  |
| Ethanol, 2-amino-               | 1210 mg/m3 mouse   |  |
| Isobutane                       | 658 mg/l/4h rat  |  |
| Component analysis - Oral LD50  |  |  |
| Ingredient(s)                   | LD50   |  |
| Carbonic acid, dipotassium salt | 1870 mg/kg rat; 2570 mg/m3 mouse                         |  |
| Ethanol, 2-(2-butoxyethoxy)-    | 2000 mg/kg guinea pig; 3384 mg/kg rat; 2200 mg/kg rabbit |  |
| Ethanol, 2-amino-               | 1720 mg/kg rat; 700 mg/kg mouse                          |  |
| Isobutane                       | Not available  |  |

#### Effects of acute exposure

Irritating to eyes. Eye

Skin None expected during normal conditions of use. None expected during normal conditions of use. Inhalation

However intentional misuse by deliberately concentrating and inhaling the contents may

be harmful or fatal.

Ingestion Health injuries are not known or expected under normal use. Sensitization The finished product is not expected to have chronic health effects. Chronic effects The finished product is not expected to have chronic health effects. The finished product is not expected to have chronic health effects. Carcinogenicity

#19868 11-May-2010 Page 4 of 7 Issue date

Mutagenicity
Reproductive effects
Teratogenicity

The finished product is not expected to have chronic health effects. The finished product is not expected to have chronic health effects. The finished product is not expected to have chronic health effects.

Synergistic Materials Not available

#### 12. Ecological Information

Ecotoxicity

Components of this product have been identified as having potential environmental concerns.

**Ecotoxicity - Freshwater Algae Data** 

Ethanol, 2-(2-butoxyethoxy)- 112-34-5 96 Hr EC50 Desmodesmus subspicatus: >100 mg/L Ethanol, 2-amino- 141-43-5 72 Hr EC50 Desmodesmus subspicatus: 15 mg/L

**Ecotoxicity - Freshwater Fish Species Data** 

Ethanol, 2-(2-butoxyethoxy)- 112-34-5 96 Hr LC50 Lepomis macrochirus: 1300 mg/L [static]

Ethanol, 2-amino
141-43-5

96 Hr LC50 Pimephales promelas: 227 mg/L [flow-through]; 96 Hr LC50 Brachydanio

rerio: 3684 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: 300-1000 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss: 114-196 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss:

>200 mg/L [flow-through]

**Ecotoxicity - Water Flea Data** 

Ethanol, 2-(2-butoxyethoxy)- 112-34-5 24 Hr EC50 Daphnia magna: 2850 mg/L; 48 Hr EC50 Daphnia magna: >100 mg/L

Ethanol, 2-amino- 141-43-5 48 Hr EC50 Daphnia magna: 65 mg/L

Environmental effects

Aquatic toxicity

Persistence / degradability

Bioaccumulation / accumulation

Partition coefficient

Mobility in environmental media

Chemical fate information

Not available

Not available

Not available

## 13. Disposal Considerations

Waste codes Not available

**Disposal instructions** Dispose in accordance with all applicable regulations.

Waste from residues / unused

products

Not available

Contaminated packaging Not available

# 14. Transport Information

#### U.S. Department of Transportation (DOT)

UN 1950, Aerosols, Class 2.1, Re-classed as Consumer Commodity ORM-D

#19868 Page 5 of 7 Issue date 11-May-2010

UN 1950, Aerosols, Class 2.1, Re-classed as Consumer Commodity/LTD. QTY

**IMDG (Marine Transport)** 

UN1950, Aerosols, Class 2.1, Limited Quantity

IATA/ICAO (Air)

UN1950, Aerosols, flammable, Limited Quantity

# 15. Regulatory Information

**US Federal regulations** 

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Product Registration: Not registered

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical

Yes

**CERCLA (Superfund) reportable quantity** 

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No

Section 302 extremely

hazardous substance

Section 311 hazardous chemical Yes

Clean Air Act (CAA) Not available
Clean Water Act (CWA) Not available

State regulations This product does not contain a chemical known to the State of California to cause

cancer, birth defects or other reproductive harm.

U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances

Ethanol, 2-amino- 141-43-5 Present

U.S. - Illinois - Toxic Air Contaminants

Ethanol, 2-amino- 141-43-5 Present

U.S. - Massachusetts - Right To Know List

Ethanol, 2-amino- 141-43-5 Present Isobutane 75-28-5 Present

U.S. - Minnesota - Hazardous Substance List

Ethanol, 2-amino- 141-43-5 Present U.S. - New Jersey - Right to Know Hazardous Substance List Ethanol, 2-amino- 141-43-5 sn 0835 lsobutane 75-28-5 sn 1040

U.S. - Pennsylvania - RTK (Right to Know) List

Ethanol, 2-amino- 141-43-5 Present Isobutane 75-28-5 Present

U.S. - Rhode Island - Hazardous Substance List

Ethanol, 2-amino- 141-43-5 Toxic; Flammable

Inventory status

Country(s) or regionInventory nameOn inventory (yes/no)\*United States & Puerto RicoToxic Substances Control Act (TSCA) InventoryYes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

#### 16. Other Information

**Disclaimer** This product should only be used as directed on the label and for the purpose intended.

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only

hazards that exist.

Further information 62338-74017-1 - Professional EASY-OFF® Fume Free Max Oven Cleaner Aerosol - 24

oz. - 363915

Issue date11-May-2010Effective date15-May-2010

Prepared by Reckitt Benckiser Regulatory Department 800-333-3899

Other information For an updated MSDS, please contact the supplier/manufacturer listed on the first

page of the document.