

Chemical Name: Flying Insect Killer

Manufacturer: Enforcer

Container size: 20oz.

Location: VLA

**Disposal:** Place empty container in trash.

ENFORCER Products A Division of Acuity Specialty Products Group, Inc. P.O. Box 1060 Cartersville, GA 30120 1-888-805-HELP www.enforcer.com			Material Safety Data Sheet and Safe Handling and Disposal Information					
			on 1. Chemical F	Product and Company Identification Enforcer Flying Insect Killer III				
				EFI 02/02/07 tered pesticide.	<b>Supersedes</b> Number: 40849-4			
		Eme Tele	phone	For a Medical Emergency: INFOTRAC (877) 541-2016 (Toll Free - Calls Recorded)				
			For a Transportation Emergence CHEMTREC (800) 424-9300 (Toll Free - Call					
		Prep	•	Compliance Services Group Acuity Specialty Products Group 1420 Seaboard Industrial Blvd. Atlanta, GA 30318				
	Section 2. Composition, Information on Ingredients							
	azardous Ingredients TNIC SOLVENT; hydrotreated light		CAS # 64742-47-8	% by Weight 1-10	Exposure Limits Not established			
distillate (pet	distillate (petroleum) Tetramethrin		7696-12-0	0.20	ACGIH TLV (United States). TWA: 10 mg/m <sup>3</sup> 8 hour(s). Form: Dust			
	SUMITHRIN BLEND OF ISOBUTANE, PROPANE, & n-BUTAN		26002-80-2 75-28-5; 74-98-6; 106-97-8	0.20 20-30	Not established ACGIH TLV (United States). TWA: 800 ppm 8 hour(s). OSHA PEL (United States). TWA: 1000 ppm 8 hour(s).			
Section 3. H	azards Identification		•		HMIS			
Acute Effec	ts Routes of Entry	Absorbe	d through skin. Inl	halation.	Health 2			
Skin	Direct contact may cause irritation and redness. Harmful if absorbed through the skin.							
Eyes	Causes eye irritation. Inflammation itching.	eye irritation. Inflammation of the eye is characterized by redness, watering, and <b>Reactivity 0</b> Personal <b>B</b> Protection						
	cause respiratory irritation.	nful if inhaled. Avoid breathing vapors or spray mists. Over-exposure by inhalation may						
	ic Effects Ingredients: Not listed as							
Chronic Effe	-				ondition.			
		•	ation (section 11)					
	Section 4. First Aid Measures         Eye Contact       Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical attention.							
Skin Contac			liately flush skin with plenty of water. Wash clothing before reuse. Get medical					
Inhalation	If inhaled, remove to fr oxygen. Get medical at	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.						
Ingestion			llowed- can enter lungs and cause damage. Do NOT induce vomiting unless ical personnel. Never give anything by mouth to an unconscious person. Get liately					

medical attention immediately.

	Fighting Measures				
Flash Point		lammable Limits Not applicable			
Flammability	Non-flammable. as per CSMA Flame Ex	xtension 2			
Fire Hazard	CONTENTS UNDER PRESSURE.				
Fire-Fighting P		els with water jet in order to prevent pressure build-up, osion. Fire-fighters should wear proper protective of waterways.			
Section 6 Acci	dental Release Measures				
Spill Clean up					
	dling and Storage				
Handling A ti	Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use only with adequate ventilation. Wash thoroughly after handling. Keep away from food, drink and animal feeding stuffs. Do not use in and around electrical equipment due to the possibility of shock hazard. Observe label precautions.				
Storage C	NTENTS UNDER PRESSURE. Do not puncture or incinerate. Store and use away from heat, sparks, oper ne, or any other ignition source. Store between 40°F - 120°F (4.4°C - 49°C). Keep container in a cool, well-tilated area. Keep out of the reach of children.				
	osure Controls, Personal Protection				
-	Personal Protection	Protective Clothing (Pictograms)			
•	Safety glasses.				
•	Protective gloves should be worn during handli				
Respiratory A	A respirator is not needed under normal and in	tended conditions of product use.			
Section 9. Phys	sical and Chemical Properties				
Physical State		<b>Color</b> Clear to white.			
рН	Not applicable	Odor Characteristic.			
Boiling Point	212° F	Vapor Pressure >93.3 kPa (>700 mmHg) (at 20°C)			
Specific Gravit	<b>y</b> 0.975 (Water = 1)	Vapor Density Not determined.			
Solubility	Easily soluble in cold water, hot water.	Evaporation Rate Not determined.			
-		<b>VOC (Consumer)</b> $0$ (g/l).			
Section 10. Sta	bility and Reactivity				
Stability and R					
Incompatibility		GENTS, acids, alkalis.			
Hazardous Pol	•				
Hazardous Dec	composition carbon oxides (CO, CO	(2)			
Products					
	cicological Information				
Toxicity to Ani		otreated light distillate (petroleum): e: 3000 mg/kg [Rabbit].			
Section 12. Eco Ecotoxicity	Diogical Information This material is toxic to aquatic organ of wastes.	nisms. Do not contaminate water by cleaning of equipment or dispose			
Biodegradable	<b>OECD</b> Not available.				
Section 13. Dis	posal Considerations				
Waste Informa	-	accordance with federal, state and local environmental control			
Waste Stream	Non-hazardous waste				
Consult your loo	cal or regional authorities.				
Section 14. Tra	nsport Information				
<b>Proper shippin</b>					
DOT Classifica					
UN number	Not available.				
<b>TDG Classifica</b>	tion Consumer Commodity ORM-D				

## Section 15. Regulatory Information

U.S. Federal Regulations	SARA 313 toxic chemical notification and release reporting:
	No products were found.
	Clean Water Act (CWA) 311: No products were found.
	Clean air act (CAA) 112 regulated toxic substances: No products were found.
State Regulations	California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer, birth defects or other reproductive harm, which would require a warning under the statute: Benzene
WHMIS (Canada)	Class A: Compressed gas. Class D-1B: Material causing immediate and serious toxic effects (TOXIC).

## Section 16. Other Information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.