



Chemical Name: Acethane Polyurethane

Manufacturer: ACE

Container size: 11oz.

Location: SOC

Disposal: Place empty container in trash.



SEVEN STAR ACETHANE POLYURETHANE VARNISH, 273A113

MSDS Number

BXXRL

National Stock Number

8010-00N028930

Product Name

SEVEN STAR ACETHANE POLYURETHANE VARNISH, 273A113

Manufacturer

ACE HARDWARE CORP

Product Identification

Product ID:SEVEN STAR ACETHANE POLYURETHANE VARNISH, 273A113

MSDS Date:08/09/1991

FSC:8010

NIIN:00N028930

MSDS Number: BXXRL

Responsible Party

ACE HARDWARE CORP

21901 S CENTRAL AVE

MATTESON , IL 60443

US

Emergency Phone: 708-990-0600

Info Phone: 708-920-0600

Cage: ACEHA

Contractor

ACE HARDWARE CORPORATION

MATTESON, IL 60443

US

708-720-0600

Cage: ACEHA

Ingredients

MINERAL SPIRITS

CAS: 64742-88-7

Fraction By Weight: 54.8%

OSHA PEL500 PPM (MFR)

ACGIH TLV: 100 PPM (MFR)

XYLENE (SARA 313) (CERCLA)

CAS: 1330-20-7

RTECS: ZE2100000

Fraction By Weight: 2.0%

OSHA PEL100 PPM

ACGIH TLV: 100 PPM/150 STEL

EPA Report Quantity: 1000 LBS



DOT Report Quantity: 1000 LBS

Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE:IRRITATION OF EYES, SKIN AND RESPIRATORY SYSTEM MAY OCCUR ON OVEREXPOSURE. MAY ALSO CAUSE NERVOUS SYSTEM DEPRESSION. SIGNS & SYMPS OF EXPOS:HEADACHE, DIZZINESS, NAUSEA & LOSS OF COORDINATION ARE INDICATIONS OF EXCESSIVE EXPOSURE TO VAPORS OR SPRAY MISTS. CHRONIC:REPORTS HAVE ASSOCIATED REPEATED (EFTS OF OVEREXP)
Explanation of Carcinogenicity:NOT RELEVANT.
Effects of Overexposure:HLTH HAZ:AND PROLONGED OCCUPATIONAL OVEREXPOSURE TO SOLVENTS WITH PERMANENT BRAIN AND NERVOUS SYSTEM DAMAGE.
Medical Cond Aggravated by Exposure:NONE GENERALLY RECOGNIZED.

First Aid

First Aid:INGEST:CALL MD IMMEDIATELY . INHAL:REMOVE FROM EXPOSURE-RESTORE BREATHING-KEEP WARM AND QUIET. SKIN:WASH AFFECTED AREA THOROUGHLY WITH SOAP & WATER. EYES:FLUSH WITH LARGE AMOUNTS OF WATER FOR @ LEAST 15 MINUTES. GET MEDICAL ATTENTION.

Fire Fighting

Flash Point Method:PMCC
Flash Point:105F,41C
Lower Limits:0.9%
Extinguishing Media:FOR DRY SOLIDS, USE WATER, FOAM, CO*2, DRY CHEMICALS.
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT . WATER MAY BE USED TO COOL CLSD CNTNRS TO PVNT PRESS BUILD-UP & POSS AUTO IGNIT/EXPLO (SUPDAT)
Unusual Fire/Explosion Hazard:KEEP CNTNRS TIGHTLY CLOSED. ISOLATE FROM HEAT, ELEC EUQIP, SPKS & OPEN FLAME. HEAT MAY CAUSE PRESS BUILDUP IN CLSD CNTNRS. WATER MAY BE USED TO COOL.

Accidental Release

Spill Release Procedures:REMOVE SOURCES OF IGNITION. VENTILATE AND REMOVE WITH INERT ABSORBENT.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:CONTENTS ARE COMBUSTIBLE. KEEP AWAY FROM HEAT AND OPEN FLAME. USE APPROVED BONDING AND GROUNDING PROCEDURES.
Other Precautions:TRANSFER ONLY TO APPROVED, PROPERLY MARKED CONTAINERS. KEEP OUT OF REACH OF CHILDREN. INTENTIONAL MISUSE BY DELIBERATELY INHALING CONTENTS CAN BE HARMFUL OR FATAL.

Exposure Controls

Respiratory Protection:NIOSH/MSHA APPROVED PROPERLY FITTED ORGANIC VAPOR/PARTICULATE RESPIRATOR.
Ventilation:LOCAL EXHAUST:PREFERABLE.
Protective Gloves:IMPERVIOUS GLOVES .
Eye Protection:ANSI APPRVD CHEM WORKERS GOGGLES .
Other Protective Equipment:ANSI APPRVD EMERGENCY EYE WASH & DELUGE SHOWER .
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.
Supplemental Safety and Health
FIRE FIGHT PROC:WHEN EXPOSED TO EXTREME HEAT.

Chemical Properties

Boiling Pt:B.P. Text:308F,153C
Vapor Density:HVR/AIR
Spec Gravity:0.90 (H*2O=1)



Appearance and Odor: AMBER LIQUID WITH SOLVENT ODOR.

Stability

Stability Indicator/Materials to Avoid: YES

NONE KNOWN.

Stability Condition to Avoid: NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products: BY FIRE-CARBON DIOXIDE, CARBON MONOXIDE.

Disposal

Waste Disposal Methods: INCINERATE IN APPROVED FACILITY. DO NOT INCINERATE CLOSED CONTAINERS. DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.