



Chemical Name: House Paint Primer

Manufacturer: Ace

Container size: 1 gallon

Location: NA

Disposal: Place empty container in trash. Give partial or full container to safety officer.

MSDS : SEVEN STAR SEMI GLOSS OIL BASE ENAMEL, 229A200
CAS :
NAME : *** proprietary ***

Catalog of Chemical Suppliers, Buyers, Custom Synthesis Companies And Equipment Manufacturers
[SEVEN STAR SEMI GLOSS OIL BASE ENAMEL, 229A200]

Suppliers:

Not Available

Buyers:

Not Available

ACE HARDWARE CORP -- SEVEN STAR SEMI GLOSS OIL BASE ENAMEL,
229A20

Material Safety Data Sheet

MSDS Num: CCYCJ
MSDS NAME: SEVEN STAR SEMI GLOSS OIL BASE ENAMEL, 229A200
Responsible Party
Name: ACE HARDWARE CORP
Address: 21901 S CENTRAL AVE
City: MATTESON IL 60443
Info Phone: 708-720-0600
Emergency Phone Number: 708-990-6600
Proprietary Ind: Y
Published: Y

Contractor Summary

Name: ACE HARDWARE CORPORATION
Address: 21901 SOUTH CENTRAL AVENUE
City: MATTESON IL 60443
Phone: 708-720-0600

Ingredients

Name: *** PROPRIETARY ***

Health Hazards Data

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.
Route Of Entry Inds - Inhalation: YES
Skin: YES
Ingestion: NO
Carcinogenicity Inds - NTP: YES
IARC: YES

OSHA: NO

Effects of Exposure: ACUTE:IRRITATION OF EYES, SKIN AND RESPIRATORY SYSTEM MAY

OCCUR ON OVEREXPOSURE. MAY ALSO CAUSE NERVOUS SYSTEM DEPRESSION.

CHRONIC:REPORTS HAVE ASSOCIATED REPEATED AND PROLONGED OCCUPATIONAL OVEREXPOSURE

TO SOLVENTS WITH PERMANENT BRAIN AND NERVOUS SYSTEM DAMAGE. SIGNS AND SYMPTOMS:HEADACHE, DIZZ, (EFTS OF OVEREXP)

Explanation Of Carcinogenicity: USERS OF THE "L" VERSION CONSULT THE "LR" VERSION FOR ADDITIONAL INFORMATION. SEE INGREDIENT 12 (FP N).

Signs And Symptoms Of Overexposure: HLTH HAZS:NAUSEA AND LOSS OF COORDINATION

ARE INDICATIONS OF EXCESSIVE EXPOSURE TO VAPORS OR SPRAY MISTS.

Medical Cond Aggravated By Exposure: NONE GENERALLY RECOGNIZED.

First Aid: INGESTION:CALL MD IMMEDIATELY (FP N). INHALATION:IF INHALED, REMOVE

FROM EXPOSURE. RESTORE BREATHING, KEEP WARM AND QUIET. SKIN:IF ON SKIN, WASH

AFFECTED AREA THOROUGHLY WITH SOAP AND WATER. EYES:IF I N EYES, FLUSH WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION.

=====
Handling and Disposal
=====

Spill Release Procedures: REMOVE SOURCES OF IGNITION. VENTILATE AND REMOVE WITH

INERT ABSORBENT.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: INCINERATE IN APPROVED FACILITY. DO NOT INCINERATE CLOSED CONTAINERS. DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Handling And Storage Precautions: CONTENTS ARE COMBUST. KEEP AWAY FROM HEAT & OPEN FLAME. USE APPRVD BONDING & GROUNDING PROCEDURES. TRANSFER ONLY TO APPRVD, PROPERLY MARKED CNTNRS.

Other Precautions: KEEP OUT OF REACH OF CHILDREN. INTENTIONAL MISUSE BY DELIBERATELY INHALING THE CONTENTS CAN BE HARMFUL OR FATAL.

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: PMCC

Flash Point Text: 105F,41C

Lower Limits: 0.9%

Extinguishing Media: FOR DRY SOLIDS USE WATER, FOAM, CO*2, DRY CHEMICALS.

Fire Fighting Procedures: WEAR NIOSH APPRVD SCBA & FULL PROT EQUIP (FP N). WATER MAY BE USED TO COOL CLSD CNTNRS TO PVNT PRESS BUILD-UP & POSS AUTO IGNIT/EXPLO WHEN EXPOSED TO (SUP DAT)

Unusual Fire/Explosion Hazard: KEEP CNTNRS TIGHTLY CLSD. ISOLATE FROM HEAT, ELEC EQUIP, SPKS & OPEN FLAME. HEAT MAY CAUSE PRESS BUILD-UP IN CLSD CNTNRS. WATER MAY BE USED TO COOL.

=====
Control Measures
=====

Respiratory Protection: PROPERLY FITTED ORGANIC VAPOR/PARTICULATE RESPIRATOR APPROVED BY NIOSH.

Ventilation: LOCAL EXHAUST:PREFERABLE.

Protective Gloves: IMPERVIOUS GLOVES (FP N).

Eye Protection: ANSI APPROVED CHEM WORKERS GOGGS (FP N).

Other Protective Equipment: ANSI APPROVED EMERGENCY EYE WASH AND DELUGE SHOWER

(FP N).

Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health: USERS OF THE "L" VERSION CONSULT THE "LR" VERSION FOR ADDITIONAL INFORMATION (FP N). FIRE FIGHT PROC:EXTREME HEAT.

=====
Physical/Chemical Properties
=====

B.P. Text: 308F,153C

Vapor Density: HVR/AIR

Spec Gravity: 1.19 (H*20=1)

Evaporation Rate & Reference: SLOWER/ETHER (BUAC=1)

Appearance and Odor: COLORED PIGMENTED LIQUID WITH SOLVENT ODOR.

=====
Reactivity Data
=====

Stability Indicator: YES

Stability Condition To Avoid: NONE SPECIFIED BY MANUFACTURER.

Materials To Avoid: NONE KNOWN.

Hazardous Decomposition Products: BY FIRE-CARBON DIOXIDE, CARBON MONOXIDE.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: NOT RELEVANT

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

=====
Regulatory Information
=====

=====
Other Information
=====

=====
HAZCOM Label
=====

MSDS NAME: SEVEN STAR SEMI GLOSS OIL BASE ENAMEL, 229A200

Company: ACE HARDWARE CORPORATION

Street: 21901 SOUTH CENTRAL AVENUE

City: MATTESON IL

Zipcode: 60443

Health Emergency Phone: 708-990-6600

Label Required IND: Y

Date Of Label Review: 02/03/1997

Status Code: C

Label Date: 02/03/1997

Origination Code: G

Chronic Hazard IND: Y

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: DANGER

Respiratory Protection IND: YES

Health Hazard: Severe

Contact Hazard: Moderate

Fire Hazard: Moderate

Reactivity Hazard: None

Hazard And Precautions: COMBUSTIBLE. ACUTE:IRRITATION OF EYES, SKIN AND
RESPIRATORY SYSTEM MAY OCCUR ON OVEREXPOSURE. MAY ALSO CAUSE NERVOUS SYSTEM
DEPRESSION. SIGNS AND SYMPTOMS:HEADACHE, DIZZINESS, NAUSEA AND LOSS OF
COORD

INATION ARE INDICATIONS OF EXCESSIVE EXPOSURE TO VAPORS OR SPRAY MISTS.
CHRONIC:CONTAINS MATERIAL WHICH IS LISTED AS AN ANIMAL LUNG CARCINOGEN (FP
N). REPORTS HAVE ASSOCIATED REPEATED AND PROLONGED OC CUPATIONAL

OVEREXPOSURE

TO SOLVENTS WITH PERMANENT BRAIN AND NERVOUS SYSTEM DAMAGE.

=====
Disclaimer (provided with this information by the compiling agencies): This
information is formulated for use by elements of the Department of Defense.
The United States of America in no manner whatsoever expressly or implied
warrants, states, or intends said information to have any application, use
or

viability by or to any person or persons outside the Department of Defense
nor any person or persons contracting with any instrumentality of the
United

States of America and disclaims all liability for such use. Any person
utilizing this instruction who is not a military or civilian employee of
the

United States of America should seek competent professional advice to
verify

and assume responsibility for the suitability of this information to their
particular situation regardless of similarity to a corresponding Department
of Defense or other government situation.

*** END OF RECORD ***