

Chemical Name: BH-38

Manufacturer: Spartan

Container size: 1 gallon

Location: VLA

Disposal: Place empty container in trash.

Spartan Chemical Company, Inc. **Material Safety Data Sheet** Spartan

SECTION I: PRODUCT INFORMATION

6

Product Name or Number (as it appears on label): BH-38 Product Number: 2038		ıbel):	Product Division: Janitorial		
		Product/Techni Informati	Product/Technical Information: 1-(800)-537-8990		
1110 Spartan Drive		Medical Emergen	cy:1-(888)-314-61	171 (24 hours)	
Maumee OH 43537	Chemical Leak/Spill			1-(800) 424-9300 (24 hours)	
Shipping Descri	iption: Cleaning compo	unds, liquid, n.o.s.			
NFPA Ratings:			HMIS Ratings:		
Health: 2	2 - Moderate		Health:	*2 - Moderate; Chronic Hazard	
Fire: 0	Fire: 0 - Minimal		Fire:	0 - Minimal	
Reactivity: 0	vity: 0 - Minimal		Reactivity:	0 - Minimal	
		Pe	rs. Prot. Equip.:	See Section VIII	

SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

			Table Z- 1 - A		NTP, IARC	
Chemical Name(s)	% W	CAS Registry No.	TWA mg/m ³	STEL mg/m ³	CELING mg/m ³	or OSHA Carcinogen
*2-Butoxyethanol	5-10	111-76-2	240 [skin] 96	Not Established	Not Established	No
Sodium dodecyl benzene sulfonate	1-5	25155-30-0	Not Established	Not Established	Not Established	No
Sodium tripolyphosphate	1-5	7758-29-4	Not Established	Not Established	Not Established	No
Trisodium phosphate	1-5	7601-54-9	Not Established	Not Established	Not Established	No

Comment: *This substance is subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (SARA) and of 40 CFR 372.

Boiling Point:	212 °F	Vapor Pressure:	Not determined
Vapor Density (AIR = 1):	Unknown	Solubility in Water:	Complete
pH:	12.0-12.5	Specific Gravity (H ₂ O=1):	
Evaporation Rate	<1	Percent Solid by	5-10

SECTION III: PHYSICAL DATA

(but.ace.=1):	Weight:			
Physical State: Liquid				
Appearance & Odor: Pink liquid, mild solvent odor				

SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point:	> 212°F	Method Used:	ASTM-D56
Flammable Limits:	N/A	Flame Extension:	N/A
Extinguishing Media:	inguishing Media: Product does not support combustion. Use extinguishing media approsurrounding fire.		
	Wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire-exposed containers with water spray.		
Unusual Fire & Explosive Hazards:	Combustion products are toxic.		

SECTION V: HEALTH HAZARD DATA

Threshold Limit Value: I	Not established	Primary Routes of Entry: Eyes and Oral
1	conjunctiva and tissue damag May be harmful if swallow diarrhea. Breathing product vapors of may include nasal discomfor cause central nervous system dizziness; nausea and drowsi cell; liver and kidney damage Avoid contact with eyes, sk	ion: Symptoms include pain, redness, swelling of the ge. Harmful if absorbed through the skin. ed: Symptoms include pain, nausea, vomiting and or mist may cause respiratory irritation: Symptoms t and coughing. Contains 2-butoxyethanol which may depression with symptoms such as headache; ness. Exposure to 2-butoxyethanol may cause blood e based on animal data. in and clothing. Avoid breathing product vapors or with adequate ventilation. Wash thoroughly after
	Use of this product may aggr including asthma and dermat	avate preexisting skin; eye and respiratory disorders itis.

Emergency & First Aid Procedures:

-	Flush eyes with water for at least 15 minutes. Remove contact lenses. Get medical attention.				
Skin:	Remove contaminated clothing. Flush skin with water for at least 15 minutes. Get medical attention if irritation persists. Wash contaminated clothing before reuse.				
Ingestion:	Do not induce vomiting. Drink one or two glasses of water to dilute product. Get medical attention. Do not give anything by mouth to an unconscious person.				
Inhalation:	Move person to fresh air. Get medial attention if irritation persists.				

SECTION VI: REACTIVITY DATA

Stability:	Stable	Incompatible Materials:	Strong oxidizing agents
Hazardous Decomposition Products:	None known	Hazardous Polymerization:	Will Not Occur

SECTION VII: SPILL OR LEAK PROCEDURES

Steps to be Taken in Case	Small spills of one gallon or less may be flushed with plenty of water to sanitary		
Material is Released or	sewer system (If permitted by local sewer regulations). Dike and contain large spills		
Spilled:	with inert material and transfer liquid to containers for disposal. Keep spill out of		
	storm sewers and waterways.		
Waste Disposal Method:	Dispose of in compliance with all federal, state and local laws and regulations.		

▼SECTION VIII: SPECIAL PROTECTION INFORMATION

Respiratory Protection:	Not normally required when good general ventilation is provided.		
	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.		
Protective Gloves(Specify Type):	Rubber or other impervious gloves.		
Eye Protection(Specify Type):	Splash goggles are recommended to prevent eye contact.		
Other Protective Equipment:	See 29 CFR 1910.132-138 for further guidance.		

SECTION IX: SPECIAL PRECAUTIONS

Precautions; Handling Storin	& Store in a c ng: other chem	ool, dry area. Do not free icals.	eze. Do not store a	bove 120°F. Do not mix with
Other Precautio	ns: Keep out o	f reach of children		
© SCC 06/01/2007 BH-38	Name: Effective Date:	Ronald T. Cook 06/01/2007	Title: Supercedes:	Manager, Regulatory Affairs 06/30/2005
Ref: 29 CFR 1910.1200 (OSHA)	Changes:	Update Section II		

(OSHA) This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.