

Chemical Name: Fluorescent Spray Paint

Manufacturer: Krylon

Container size: 11oz.

Location: SOC

Disposal: Place empty container in trash.

KRYLON FLUORESCENT SPRAY PAINT, 3104

Product and Company Identification	Physical and Chemical Properties Stability and Reactivity
Composition/Information on Ingredients Hazards Identification First Aid Measures Fire Fighting Measures Accidental Release Measures Handling and Storage Exposure Controls/Personal	Toxicological Information Ecological Information Disposal Considerations Transport Information Regulatory Information
Protection	Other Information / Hazmat Info / Hazcom Label



MSDS Safety Information

FSC:	8010
MSDS Date:	01/01/1987
MSDS Num:	BBNQS
Submitter:	F BT
LIIN:	00F003728
Tech Review:	08/29/1986
Status CD:	С
MFN:	01
Article:	Ν
Kit Part:	Ν
Responsible Party	EO431
Name:	BORDEN, INC/COLUMBUS, OHIO 43215
City:	N/P
State:	NK
Zip:	00000
Country:	NK
Emergency Phone Number	(614) 457-5200
Preparer's Name:	N/P
Proprietary Ind:	Ν
Review Ind:	Y
Published:	Y

HMIS BBNQS : KRYLON FLUORESCENT SPRAY PAINT, 3104

Ingredients	
Cas:	74-98-6
Code:	М
RTECS #:	TX2275000
Code:	М
Environmental Wt:	
Other REC Limits:	N/P
OSHA PEL:	1000 PPM
Code:	М
Code:	
Code:	М
Code:	
Ozone Depleting Chemical:	Ν
Cas:	75-28-5
Code:	М
RTECS #:	TZ4300000
Code:	М
Environmental Wt:	
Other REC Limits:	N/P
OSHA PEL:	N/P
Code:	
Code:	

HMIS BBNQS : KRYLON FLUORESCENT SPRAY PAINT, 3104

Code:	Μ
Code:	
Ozone Depleting Chemical:	Ν
Cas:	108-88-3
Code:	М
RTECS #:	XS5250000
Code:	М
Environmental Wt:	
Other REC Limits:	N/P
OSHA PEL:	200 PPM/150 STEL
Code:	Μ
Code:	
Code:	М
Code:	
Ozone Depleting Chemical:	Ν
Cas:	110-54-3
Code:	Μ
RTECS #:	MN9275000
Code:	Μ
Environmental Wt:	
Other REC Limits:	N/P
OSHA PEL:	500 PPM
Code:	Μ
Code:	
Code:	Μ
Code:	
Ozone Depleting Chemical:	Ν
Cas:	142-82-5
Code:	Μ
RTECS #:	MI7700000
Code:	М
Environmental Wt:	
Other REC Limits:	N/P
OSHA PEL:	500 PPM/500 STEL
Code:	Μ
Code:	
Code:	Μ
Code:	

Ozone Depleting Chemical: N

Health Hazards Data	
LD50 LC50 Mixture	N/P
Route Of Entry Inds - Inhalation:	N/P
Skin:	N/P
Ingestion:	N/P
Carcinogenicity Inds - NTP:	N/P
IARC:	N/P
OSHA:	N/P
Health Hazards Acute And Chronic	N/P
Explanation Of Carcinogenicity	N/P
Signs And Symptions Of Overexposure	INHALATION: MAY BE HARMFUL IF INHALED. LIQUID OR CAUSE IRRITATION NOSE, THROAT AND LUNGS.
Medical Cond Aggravated By Exposure	N/P

First Aid

INGESTION: IF SWALLOWED, DON'T INDUCE VOMITING. INHALATION: REMOVE TO FRESH AIR. IF BREATHING IS DIFFICULT, GIVE OXYGEN. SKIN: FLUSH W/WATER. EYE: FLUSH W/WATER FOR AT LEAST 15 MINUTES. CALL A PHYSICIAN.

Spill Release Procedures	
	ELIMINATE ALL IGNITION SOURCES. SOAK UP WITH ABSORBENT MATERIAL AND REMOVE TO A CHEMAL DISPOSAL AREA. PREVENT ENTRY INTO NATURAL BODIES OF WATER.
Neutralizing Agent	N/P

Waste Disposal Methods

Handling and Storage Precautions

Other Precautions

N/K

Fire and Explosion Hazard In	nformation
Flash Point Method:	N/P
Flash Point:	
Flash Point Text:	N/K
Autoignition Temp:	
Autoignition Temp Text:	N/A
Lower Limits:	N/K
Upper Limits:	N/K
Extinguishing Media	USE DRY CHEMICAL, FOAM OR CO2
Fire Fighting Procedures	WATER MAY BE INEFFECTIVE. WATER COOL CONTAINERS.
Unusual Fire/Explosion Hazard	EXPOSURE TO HIGH TEMP CAUSE BURSTING. DON'T PUNCTURE OR INCINERATE CONTAINER. DON'T SPRAY NEAR FLAME

Control Measures	
Ventilation	PROVIDE VENTILATION TO KEEP BELOW TLV.
Protective Gloves	IMPERVIOUS
Eye Protection	GOGGLES
Other Protective Equipment	WEAR IMPERVIOUS GLOVES AS REQUIRED TO PREVENT SKIN CONTACT.
Work Hygienic Practices	N/P
Supplemental Safety and Health	ALSO CONTAINS: VM&P NAPHTHA (SE7555000) 300 PPM, 8%.

Physical/Chemical Properti	es		
HCC:			
NRC/State LIC No:			
Net Prop WT For Ammo:			
Boiling Point:			
B.P. Text:	N/K		

Reactivity Data	
Stability Indicator:	YES
Stability Condition To Avoid:	AVOID RADIATORS/STOVES/DIRECT SUNLIGHT OR OTHER HEAT SOURCE.
Materials To Avoid:	N/K
Hazardous Decomposition Products:	CO, CO2.

HMIS BBNQS : KRYLON FLUORESCENT SPRAY PAINT, 3104

Hazardous Polymerization NO Indicator: NO

N/P
N/P
N/P
n
N/P
N/P
N/P
N/P
N/P

|--|

Product Name:	KRYLON FLUORESCENT SPRAY PAINT, 3104
Cage:	<u>EO431</u>
Assigned IND:	Y
Company Name:	BORDEN, INC/COLUMBUS, OHIO 43215
Street:	UNKNOWN
PO Box:	
City:	UNKNOWN
State:	NK
Zipcode:	00000
Country:	NK
Health Emergency Phone:	(614) 457-5200
Label Required IND:	Y
Date Of Label Review:	12/16/1998
Status Code:	С

MFG Label NO:	
Label Date:	12/16/1998
Year Procured:	N/K
Origination Code:	G
Chronic Hazard IND:	N/P
Eye Protection IND:	N/P
Skin Protection IND:	N/P
Signal Word:	N/P
Respiratory Protection IND:	N/P
Health Hazard:	
Contact Hazard:	
Fire Hazard:	
Reactivity Hazard:	

This information is derived from the Hazardous Material Information System which is utilized by the U.S. Department of Defense. <u>IntraWEB, LLC</u> and its Distributors in no manner whatsoever, expressly or implied warrants, states, or intends said information to have any application use or viability by or to any person or persons. Any person utilizing this information should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.