



Chemical Name: TT-95 Tip Tin

Manufacturer: Plato

Container size: 0.70oz.

Location: VLA

Disposal: Place empty container in trash.

MATERIAL SAFETY DATA SHEET**Finished Product**

Date-Issued: 11/03/2003
MSDS Ref. No: TT-95
Revision No: New MSDS

PLATO - "TIP TINNER"**1. PRODUCT AND COMPANY IDENTIFICATION****PRODUCT NAME:** PLATO - "TIP TINNER"**PRODUCT DESCRIPTION:** Coating used to re-tin soldering tips.**PRODUCT CODE:** TT-95, TT-95-S, TT-95-SP**MANUFACTURER**

Techspray, L.P.

1001 NW 1st Street

P.O. Box 949

Amarillo, TX 79107

Contact: Chemtrec**Product Stewardship:** 1-800-858-4043**24 HR. EMERGENCY TELEPHONE
NUMBERS****CHEMTREC (U.S.):** (800) 424-9300**CANUTEC:** (613) 996-6666**Emergency Phone:** 1-800-858-4043**2. COMPOSITION / INFORMATION ON INGREDIENTS**

<u>Chemical Name</u>	<u>Wt.%</u>	<u>CAS#</u>	<u>EINECS#</u>
Copper	0.1 - 1.5	7440-50-8	231-159-6
Phosphoric acid, diammonium salt	49 - 52	7783-28-0	231-987-8
Tin	35 - 45	7440-31-5	
Alcohols, C12-15, ethoxylated	2 - 10	68131-39-	5

EEC LABEL SYMBOL AND CLASSIFICATION

R 36/37 - Irritating to eyes and respiratory system

EEC Irritant - "Xi"

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

PHYSICAL APPEARANCE: Gray Solid with low odor

IMMEDIATE CONCERNS: Fumes produced during normal use may contain ammonia and organic decomposition products which can irritate the eyes, mucous membranes, and the respiratory system (throat, esophagus, lungs, etc.)

POTENTIAL HEALTH EFFECTS

EYES: Moderately irritating to the eyes.

SKIN: May cause skin irritation.

SKIN ABSORPTION: None Expected.

INGESTION: Not likely to be ingested.

INHALATION: Prolonged or excessive inhalation may cause respiratory tract irritation.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Contact may cause eye irritation.

SKIN: May cause slight irritation.

SKIN ABSORPTION: None Expected.

INGESTION: Not a likely route of exposure.

INHALATION: Inhalation may cause respiratory tract irritation.

CHRONIC: Frequent or prolonged contact may irritate the skin and cause a skin rash (dermatitis).

CARCINOGENICITY: None known.

MUTAGENICITY: None known.

REPRODUCTIVE TOXICITY

REPRODUCTIVE EFFECTS: None known.

TERATOGENIC EFFECTS: None known.

ROUTES OF ENTRY: Eyes and Inhalation of fumes are the major routes of entry

TARGET ORGAN STATEMENT: Eyes, mucous membranes, and respiratory system.

CANCER STATEMENT: NOT listed

PHYSICAL HAZARDS: Avoid breathing (dust, mist, fumes).

4. FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.

SKIN: Immediately wash skin with soap and plenty of water. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

INGESTION: Ingestion is unlikely because of the physical properties and is not expected to be hazardous. Do not induce vomiting unless instructed to do so by a physician.

INHALATION: Remove to fresh air.

5. FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD: None : ASTM D-56 (Tag C.C.)

FLAMMABLE LIMITS: None to None

AUTOIGNITION TEMPERATURE: Not Applicable

GENERAL HAZARD: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

EXTINGUISHING MEDIA: Water, foam, dry chemical, carbon dioxide.

EXPLOSION HAZARDS: None known.

FIRE FIGHTING EQUIPMENT: As in any fire, wear self-contained breathing apparatus pressure-demand, (MSHA/NIOSH approved or equivalent) and full protective gear.

SENSITIVE TO STATIC DISCHARGE: None

HAZARDOUS DECOMPOSITION PRODUCTS: Forced combustion yields carbon and silicone oxides.

6. ACCIDENTAL RELEASE MEASURES

GENERAL PROCEDURES: Vacuum or sweep up material and place in a disposal container.

RELEASE NOTES: None Expected.

SPECIAL PROTECTIVE EQUIPMENT: NA = Not Applicable

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Wash thoroughly after handling. Use only in a well ventilated area. Store in a cool dry place.

HANDLING: Use with adequate ventilation.

STORAGE: Store in a cool place in original container and protect from sunlight.

STORAGE TEMPERATURE: Not Applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES:**OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200)****EXPOSURE LIMITS**

<u>OSHA PEL</u>		<u>ACGIH TLV</u>		<u>Supplier OEL</u>	
<u>ppm</u>	<u>mg/m³</u>	<u>ppm</u>	<u>mg/m³</u>	<u>ppm</u>	<u>mg/m³</u>

Copper

ENGINEERING CONTROLS: Local exhaust ventilation may be necessary to control any air contaminants to within their TLVs during the use of this product.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: For normal conditions, wear safety glasses. Where there is reasonable probability of liquid contact, wear splash-proof goggles.

SKIN: None Expected.

RESPIRATORY: A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.

WORK HYGIENIC PRACTICES: Avoid contact with eyes. Avoid fume inhalation. Limit skin contact.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Solid

ODOR: Characteristic odor.

APPEARANCE: Gray Solid with low odor

pH: Not Applicable

PERCENT VOLATILE: None

VAPOR PRESSURE: Not Applicable

VAPOR DENSITY: Not Applicable

BOILING POINT: Not Applicable

FREEZING POINT: Not Applicable

MELTING POINT: 160°C (320°F)

EVAPORATION RATE: Not Applicable

DENSITY: Not Applicable

SPECIFIC GRAVITY: >1.0 (water=1)

VISCOSITY: Not Applicable

MOLECULAR WEIGHT: Not Applicable

(VOC): 0 g/L

10. STABILITY AND REACTIVITY

STABLE: YES

HAZARDOUS POLYMERIZATION: NO

CONDITIONS TO AVOID: Stable. However, may decompose if heated.

STABILITY: Stable.

POLYMERIZATION: Will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS: When heated to solder melting temperatures, thermal degradation may produce ammonia, aliphatic aldehydes and acids, and other potentially harmful organic fumes.

INCOMPATIBLE MATERIALS: Oxidizing materials.

11. TOXICOLOGICAL INFORMATION

EYE EFFECTS: May be mildly irritating to eyes.

SKIN EFFECTS: Not Established

SENSITIZATION: Not Established

CARCINOGENICITY:

CARCINOGENICITY COMMENTS: Not listed as a carcinogen.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Biodegradability - Minimal

ECOTOXICOLOGICAL INFORMATION: Not Established

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Federal, State, and Local laws governing disposal of materials can differ. Ensure compliance with proper authorities before disposal.

PRODUCT DISPOSAL: Solder can be reclaimed.

GENERAL COMMENTS: Dispose of in a manner consistent with federal, state, and local regulations.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Nonhazardous

PRIMARY HAZARD CLASS/DIVISION: Not Regulated

UN/NA NUMBER: N/A

PACKING GROUP: N/A

REPORTABLE QUANTITY (RQ) UNDER CERCLA: N/A

CANADA TRANSPORT OF DANGEROUS GOODS

PROPER SHIPPING NAME: Nonhazardous
PRIMARY HAZARD CLASS/DIVISION: Not Regulated
UN/NA NUMBER: N/A
PACKING GROUP: N/A

AIR (ICAO/IATA)

PROPER SHIPPING NAME: Nonhazardous
PRIMARY HAZARD CLASS/DIVISION: Not Regulated
UN/NA NUMBER: N/A
PACKING GROUP: N/A

VESSEL (IMO/IMDG)

PROPER SHIPPING NAME: Nonhazardous
PRIMARY HAZARD CLASS/DIVISION: Not Regulated
UN/NA NUMBER: N/A
PACKING GROUP: N/A

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: NHH, NPH

FIRE: NO **PRESSURE GENERATING:** NO **REACTIVITY:** NO **ACUTE:** YES
CHRONIC: YES

313 REPORTABLE INGREDIENTS: Not Applicable

TITLE III NOTES: Not listed as an Extremely Hazardous Substance.

302/304 EMERGENCY PLANNING

EMERGENCY PLAN: NOT listed

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

CERCLA REGULATORY: Listed in table 302.4 of 40CFR Part 302 as a hazardous substance however, this material is greater than 100 micrometers therefore it does not have a reportable quantity.

CERCLA RQ: None

EPA

EPA RQ INGREDIENT: None

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA REGULATORY: All chemicals in this product are listed on the TSCA Inventory.

TSCA STATUS: All chemicals in this product are listed in the TSCA inventory.

RCRA STATUS: NA = Not Applicable

OSHA HAZARD COMM. RULE: Contents of this MSDS comply with the OSHA Hazard Communication Standard 29 CFR 1910.1200.

CLEAN WATER ACT: Not Available

CARCINOGEN: NOT listed

CLEAN AIR ACT

40 CFR PART 68---RISK MANAGEMENT FOR CHEMICAL ACCIDENT RELEASE PREVENTION: NA = Not Applicable

OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION (OSHA)

29 CFR 1910.119---PROCESS SAFETY MANAGEMENT OF HIGHLY HAZARDOUS CHEMICALS: None of the chemicals in this product are considered highly hazardous by OSHA.

CANADA

WHMIS (WORKER HAZARDOUS MATERIALS INFORMATION SYSTEM): Not a controlled product.

WHMIS CLASS: Class A, Class D2B.

DOMESTIC SUBSTANCE LIST (INVENTORY): All components of this product are listed on the Canadian DSL.

EUROPEAN COMMUNITY

EEC LABEL SYMBOL AND CLASSIFICATION



R 36/37 - Irritating to eyes and respiratory system

EEC Irritant - "Xi"

CALIFORNIA PROPOSITION 65: This product does not contain any chemicals known to the State of California to cause cancer.

16. OTHER INFORMATION


APPROVED BY: Pierce A. Pillon **TITLE:** Chemist

PREPARED BY: Heath Layton

HMIS RATING

HEALTH:	1
FLAMMABILITY:	0
PHYSICAL HAZARD:	0
PERSONAL PROTECTION:	

NFPA CODES



MANUFACTURER DISCLAIMER: To the best of our knowledge, the information contained herein is accurate. However, neither Plato, or any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness

of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.