

Chemical Name: Shine-Up

Manufacturer: SC Johnson

Container Size: 15 oz.

Location: VLA

Disposal: Place empty container in trash.

```
S C JOHNSON WAX -- JOHNSON SHINE-UP (LEMON-AEROSOL) TM - FURNITURE POLISH
MATERIAL SAFETY DATA SHEET
NSN: 7930013813349
Manufacturer's CAGE: 0U826
Part No. Indicator: A
Part Number/Trade Name: JOHNSON SHINE-UP (LEMON-AEROSOL) TM
General Information
_______
Item Name: FURNITURE POLISH
Company's Name: S.C. JOHNSON WAX
Company's City: RACINE
Company's State: WI
Company's Country: US
Company's Zip Code: 53403-5011
Company's Emerg Ph #: 800-228-5635 EXT 092
Company's Info Ph #: 800-725-6737
Record No. For Safety Entry: 001
Tot Safety Entries This Stk#: 001
Status: SM
Date MSDS Prepared: 27APR94
Safety Data Review Date: 09SEP94
Supply Item Manager: GSA
MSDS Serial Number: BVGWP
Hazard Characteristic Code: F1
Unit Of Issue: BX
Unit Of Issue Container Qty: 12 - 15 OZ CN
Type Of Container: METAL
Ingredients/Identity Information
Proprietary: NO
Ingredient: ISOPARAFFINIC HYDROCARBON SOLVENT
Ingredient Sequence Number: 01
Percent: 10-20
NIOSH (RTECS) Number: 1002859HN
CAS Number: 64742-48-9
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED
Other Recommended Limit: EXXON: 300 PPM
 _____
 Proprietary: NO
 Ingredient: BUTANE
 Ingredient Sequence Number: 02
 Percent: 1-5
 NIOSH (RTECS) Number: EJ4200000
 CAS Number: 106-97-8
 OSHA PEL: 800 PPM
 ACGIH TLV: 800 PPM
 Other Recommended Limit: NONE RECOMMENDED
 Proprietary: NO
 Ingredient: PROPANE
 Ingredient Sequence Number: 03
 Percent: 1-5
 NIOSH (RTECS) Number: TX2275000
 CAS Number: 74-98-6
 OSHA PEL: 1000 PPM
 ACGIH TLV: 1000 PPM
 Other Recommended Limit: NONE RECOMMENDED
 ________
 Proprietary: NO
 Ingredient: ISOBUTANE
 Ingredient Sequence Number: 04
```

Percent: 1-5

```
NIOSH (RTECS) Number: TZ4300000
CAS Number: 75-28-5
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED
Other Recommended Limit: NONE RECOMMENDED
Proprietary: NO
Ingredient: WATER
Ingredient Sequence Number: 05
Percent: 70-80
NIOSH (RTECS) Number: ZC0110000
CAS Number: 7732-18-5
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED
Other Recommended Limit: NONE RECOMMENDED
Proprietary: NO
Ingredient: SILICONE
Ingredient Sequence Number: 06
Percent: 1-3
NIOSH (RTECS) Number: 1004042SF
CAS Number: 63148-62-9
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED
Other Recommended Limit: NONE RECOMMENDED
Proprietary: NO
Ingredient: THEORETICAL VOC: 1.78 LB/GAL
Ingredient Sequence Number: 07
NIOSH (RTECS) Number: 9999999VO
Other Recommended Limit: NONE RECOMMENDED
Physical/Chemical Characteristics
Appearance And Odor: OFF-WHITE COLOR, LEMON ODOR
Specific Gravity: 0.876
Solubility In Water: MODERATE
.
                Fire and Explosion Hazard Data
Flash Point: NR
Extinguishing Media: FOAM, CO2, DRY CHEMICAL, WATER FOG
Special Fire Fighting Proc: NORMAL FIRE FIGHTING PROCEDURE MAY BE USED.
FIGHT FIRE FROM MAXIMUM DISTANCE/PROTECTED AREA. COOL & USE CAUTION WHEN
APPROACHING/HANDLING FIRE EXPOSED CONTAINER
Unusual Fire And Expl Hazrds: NO SPECIAL HAZARDS KNOWN
 .
___________
                       Reactivity Data
 Stability: YES
 Cond To Avoid (Stability): NO SPECIAL REQUIREMENTS
 Materials To Avoid: NONE KNOWN
 Hazardous Decomp Products: NO SPECIAL REQUIREMENTS
 Hazardous Poly Occur: NO
 Conditions To Avoid (Poly): NONE KNOWN
 Health Hazard Data
 LD50-LC50 Mixture: ESTIMATED ACUTE ORAL, RAT LD50:>5000MG/KG
 Health Haz Acute And Chronic: MAY CAUSE MILD EYE IRRITATION.
 Med Cond Aggravated By Exp: NONE KNOWN
 Emergency/First Aid Proc: EYE CONTACT: FLUSH IMMEDIATELY WITH WATER FOR 20
 MINUTES. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. SKIN CONTACT: WASH
```

CONTAMINATED AREA WITH WATER AND SOAP. INHALTION: REMOVE TO FRESH AIR. INGESTION: DRINK 1-2 GLASSES OF WATER OR MILK. SEEK IMMEDIATE MEDICAL

ATTENTION. Precautions for Safe Handling and Use Steps If Matl Released/Spill: ELIMINATE ALL IGNITION SOURCES. ABSORB WITH OIL-DRI OR SIMILAR INERT MATERIAL. SWEEP OR SCRAPE UP AND CONTAINERIZE. RINSE AFFECCTED AREA THOROUGHLY WITH WATER. Precautions-Handling/Storing: CAUTION: FLAMMABLE: AVOID PROLONGED/REPEATED BREATHING OF VAPORS. EYE IRRITANT. DON'T USE NEAR OPEN FIRE, FLAMES, OR HEAT. DON'T PUNCTURE OR INCINERATE. Other Precautions: DON'T STORE AT TEMPS ABOVE 120F. KEEP AWAY FROM HEAT. DON'T SPRAY/USE ON FLOORS. KEEP OUT OF REACH OF CHILDREN. STORE IN COOL DRY PLACE W/VENT. KEEP FROM FREEZING. DON'T PRESSURIZE, CUT, HEAT, WELD, EXPOSE CNTNR TO FLAME (COULD EXPLODE). Control Measures Respiratory Protection: NO SPECIAL REQUIREMENTS UNDER NORMAL USE CONDITIONS. Ventilation: GENERAL ROOM VENTILATION ADEQUATE Protective Gloves: NO SPECIAL REQUIREMENTS UNDER NORMAL USE Eye Protection: NO SPECIAL REQUIREMENTS UNDER NORMAL USE Other Protective Equipment: NO SPECIAL REQUIREMENTS. Transportation Data Trans Data Review Date: 94252 DOT PSN Code: DTJ DOT Symbol: D DOT Proper Shipping Name: CONSUMER COMMODITY DOT Class: ORM-D DOT Label: NONE IMO PSN Code: AKH IMO Proper Shipping Name: AEROSOLS/AEROSOL PRODUCT IMO Regulations Page Number: SEE 9022 IMO UN Number: 1950 IMO UN Class: 9 IMO Subsidiary Risk Label: -IATA PSN Code: ALS IATA UN ID Number: 1950 IATA Proper Shipping Name: AEROSOLS, 30, * IATA UN Class: 2.1 IATA Label: FLAMMABLE GAS AFI PSN Code: ALR AFI Prop. Shipping Name: AEROSOLS, FLAMMABLE, N.O.S. AFI Class: 2.1 AFI ID Number: UN1950 AFI Basic Pac Ref: 6-6 MMAC Code: NK Disposal Data ______ Label Data Label Required: YES Label Status: G Common Name: JOHNSON SHINE-UP (LEMON-AEROSOL) TM Special Hazard Precautions: MAY CAUSE MILD EYE IRRITATION. N/K Label Name: S.C. JOHNSON WAX Label City: RACINE Label State: WI Label Zip Code: 53403-5011

Label Country: US

Label Emergency Number: 800-228-5635 EXT 092