

Chemical Name: Hard Surface Sealant/Finish

Manufacturer: Brady

Container size: 1 gallon

Location: VLA

Disposal: Place empty container in trash.

4003

Las Vegas, NV 89118

(800) 293-4698

Product:Hard Surface Finish & Sealer Classification: Floor Care					B30
2 Composition/Information on	Hazardous Ingredients				
laterial	CAS#	%	OSHA(PEL)	TLV(ppm)	Other
Diethylene Glycol Ethyl Ether*	111-90-0	<5	50 ppm	50 ppm	N/A
Ethylene Glycol*	107-21-1	<3	50 ppm	50 ppm	N/A
Tributoxyethyl Phosphate	78-51-3	<3	N/E	N/E	N/E
3 Hazards Identification	ause skin and eye irritation.	Avoid co	ntact with skin and e	yes.	
CAUTION Contact with Eyes: Slightly irritati	na.				
		o irritation	and drying of skin		
Contact with Skin: Prolonged or	repeated contact may caus	emanor	Tanu urying of skin.		
Skin Absorption: No data.					
gestion Symptoms: Product will b esophagus.	e neutralized and coagulate	d by ston	nach acids. May irrita	te throat, stomach	n and
nalation Symptoms: Excessive exp	posure to mists/vapors may	irritate re	spiratory tract and re	esult in headache a	and nause
Chronic Effects: No data.					
It is important to determine whethe intended to deal with exposu in s		General	ly, exposure to dilute		
4 First Aid Measures					
Eyes: If eyes are contacted, flus	h with water for 15 minutes	If irritatic	on persists seek med	ical attention.	
Skin: If skin is contacted, wash	affected area with soap and	water. If	irritation persists, se	ek medical attentic	on.
halation: If discomfort is experience give oxygen and seek me		e to mists	/vapors, remove to f	resh air. If breathii	ng is diffic
ngestion: If ingested, do NOT induc remaining residue. Seek		amounts	of water to wash out	mouth area and c	lilute

3/6/2006 0001 4003

5 Fire Fighting Measures

Flash Point(F° TCC): >200°F

Flammable Limits: LEL No Data

Auto Ignition Temperature: No Data

Extinguishing Media: Water Spray, Foam, Carbon Dioxide, Dry Chemical

Special Fire Fighting Procedures:

Firefighters should wear a positive pressure NIOSH approved self-contained breathing apparatus.

Unusual Fire and Explosion Hazards:

Containers exposed to heat from fires should be cooled with water fog to prevent container rupture.

6 Accidental Release Measures

Large Spills (55 gallons or more):

Wear rubber boots, gloves and appropriate protective clothing. Shut off source of leak if safe to do so. Dike and contain spill.

Small Spills:

Mop up spill and rinse area.

7 Handling and Storage

Handling: Keep out of reach of children. Follow appropriate hygiene practices.

Storage: Store in a cool, dry place.

8 Exposure Controls/Personal Protection

Ventilation and Engineering Controls:

None

Respiratory Protection:

None

Protective Gloves:

Rubber Gloves

Eye Protection:

Chemical Splash Goggles

Other Protective Equipment:

 3/6/2006
 0001
 4003
 Hard Surface Finish & Sealer
 Page 2 of 3

9 Physical and Chemical Prope	rties	
Boiling Point(F°)>212°F Specific Gravity:1.02 Appearance:Milky-white Evaporation Rate:<1	Solubility in WaterDisperses Volatiles(% by Wt.)83 Vapor Density:>1 Vapor Pressure:<17 mm Hg > means less than < means greater than	
	pical values based on material tested but may e construed as a guaranteed analysis of any s	
10 Stability and Reactivity		
Stability: Stable Conditio	ns to Avoid: Freezing	
Materials to Avoid: Strong Oxidizers	3	
azardous Decomposition Product Oxides of carbon and nitrogen azardous Polymerization:	s:	
Will Not Occur		
11 Toxicological Information		
No Toxicology Information is available.		
12 Ecological Information		
No data available. 13 Disposal Considerations		
Vaste Disposal Method: Dispose of waste in accordance with	n federal, state and local regulations	
14 Transport Information		
HAZMAT: No Hazard Co	ode: N/A ID Number: N/A	Hazard Class: N/A
Hazardous Division:None Hazardous Contents:None		Packaging Group:N/A
15 Regulatory Information		
Proposition 65: Not Listed.		
* This product is subject to the	e reporting requirements of SARA Title	; 111.
EPA: No		
16 Other Information		
HMIS/NFPA Hazard Rating: Healt	th 1 Flammability 0 Reacti	vity 0
or implied, is made regarding the accuration information consult distributor, Brady Ir	ed on the data available to us. It is believed to acy of this data or the results to be obtained fr ndustries, HQ	
MSDS Approval Date: 2/28/2006		
3/6/2006 0001 4003	Ha	ard Surface Finish & Sealer Page 3 of 3