



Chemical Name: Pax Plus Interior Flat Latex

Manufacturer: Wellborn

Container size: 1 gallon

Location: VLA

Disposal: Place empty container in trash.

WELLBORN PAINT MFG CO -- 101301 PAX PLUS WHITE BASES & COLORS -- 8010-00F034507

=====
Product Identification
=====

Product ID:101301 PAX PLUS WHITE BASES & COLORS
MSDS Date:01/27/1994
FSC:8010
NIIN:00F034507
MSDS Number: BTNSR
=== Responsible Party ===
Company Name:WELLBORN PAINT MFG CO
Address:215 ROSSMOOR RD SW
City:ALBUQUERQUE
State:NM
ZIP:87102
Country:US
Info Phone Num:505-877-5050
Emergency Phone Num:505-877-5050
CAGE:60378

==== Contractor Identification ===
Company Name:WELLBORN PAINT MFG CO
Address:215 ROSSMOOR RD SW
Box:City:ALBUQUERQUE
State:NM
ZIP:87105
Country:US
Phone:505-877-5050
CAGE:60378

=====
Composition/Information on Ingredients
=====

Ingred Name:SILICA DIOXIDE, CRYSTALLINE QUARTZ, SAND (SUSPECTED HUMAN
CARCINOGEN BY IARC, NTP). GROUP 2A - *93-4*
CAS:14808-60-7
RTECS #:VV7330000
Fraction by Wt: 3.14%
Other REC Limits:0.05 MG/CUM NIOSH
ACGIH TLV:0.1 MG/CUM RESP DUST

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO
Health Hazards Acute and Chronic:INHALATION: UPPER/LOWER RESPIRATORY
TRACT IRRITATION. EYES: IRRITATION. SKIN: MINOR IRRITATION.
INGESTION: GI IRRITATION.
Explanation of Carcinogenicity:SEE INGREDIENTS
Effects of Overexposure:NAUSEA, HEADACHES, DIZZINESS, REDNESS, TEARING,
VOMITING, DIRRHEA.

=====
First Aid Measures
=====

First Aid:INHALATION: REMOVE TO FRESH AIR. GIVE CPR IF NECESSARY.
EYES/SKIN: WASH THOROUGHLY W/CLEAN WATER. INGESTION: IF CONSCIOUS,
GIVE 2 GLASSES OF WATER TO DRINK. OBTAIN MEDICAL ATTENTION IN ALL
CASES.

=====
Fire Fighting Measures
=====

Extinguishing Media:FOAM, CO2, CHEMICAL, WATER FOG
Fire Fighting Procedures:WEAR APPROPRIATE FIRE FIGHTING PROTECTION,
SCBA IN CONFINED AREA.
Unusual Fire/Explosion Hazard:UNOPENED CONTAINERS MAY BURST OPEN &
SPATTER. KEEP CONTAINERS COOL W/WATER SPRAY/REMOVE FROM AREA.

=====
Accidental Release Measures
=====

Spill Release Procedures:KEEP MATERIAL OUT OF OPEN BODIES OF WATER.
DIKE & ABSORB W/INERT MATERIAL & PUT INTO CONTAINERS FOR
RECOVERY/DISPOSAL.

=====
Handling and Storage
=====

Handling and Storage Precautions:KEEP CONTAINERS CLOSED WHEN NOT IN
USE. ROTATE STOCK, USE OLD MATERIALS FIRST. DON'T TAKE INTERNALLY.
AVOID PROLONGED CONTACT/INHALATION.
Other Precautions:KEEP OUT OF REACH OF CHILDREN.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NIOSH APPROVED RESPIRATOR W/AN ORGANIC VAPOR &
DUST CARTRIDGE, AIR SUPPLIED MASK/HOOD
Ventilation:LOCAL EXHAUST; MECHANICAL EXHAUST: MUST BE EXPLOSION PROOF
Protective Gloves:IMPERMEABLE SOLVENT RESISTANT
Eye Protection:CHEMICAL GOGGLES, FACE SHIELD
Other Protective Equipment:CAP & IMPERMEABLE APRON
Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE
REUSE.
Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

Boiling Pt:B.P. Text:212F
Vapor Pres:17.5
Vapor Density:>1
Evaporation Rate & Reference:SLOWER THAN BU AC
Solubility in Water:MISCIBLE
Appearance and Odor:OPAQUE LIQUID, W/MILD ODOR

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES
MATERIALS THAT REACT W/WATER. STRONG ACIDS, ALKALI
Hazardous Decomposition Products:STRONG ACRID FUMES

=====
Disposal Considerations
=====

Waste Disposal Methods:INCINERATE/LANDFILL ACCORDING TO FEDERAL, STATE
& LOCAL REGULATIONS. DON'T DUMP INTO LAKES, STREAMS/OTHER WATER
SUPPLY.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.